



# Delight consumers with an enhanced fragrance dispensing experience

In a world of savvier consumers with higher expectations, Silgan Dispensing provides a variety of ways to reinforce brand cues, premiumize products and set your brand apart.

Our wide range of products deepens brand engagement across the consumer journey—from attracting consumers with samplers and minis to creating a luxurious experience with our fragrance pumps.



# Create a personalized dispensing experience with our broad portfolio

- Extensive portfolio answering to a wide variety of brand positioning needs
- The Emotions of Spray Collection, a wide array of sprays to support your product positioning while meeting consumer preferences—creating an emotional connection to your brand
- Easy, accessible and swift solutions for spray cap extensions, with versionable molds and automated assembly to allow for greater creative freedom in design
- A comprehensive range of dip tubes, ranging from the patented NoC® invisible dip tube to colored options
- **Integrated decoration solutions** that give you more options for personalized design, including engraving and embossing, in-house laser marking, hot stamping and silk screening

# Melodie®



### **Key Features**

- · Discrete, low-profile design for prestige fragrance packaging
- · Soft actuation
- Pre-compression spray technology for optimal performance
- Wide range of customization, including the spray through the Emotions of Spray Collection

**IP Heads** 11.8 E IP/11.8 EH IP, 13 EH IP

Plastic Heads 13 PP, 14.5 PP

**Metal Heads** 11.8 E/11.8 EH, 13 E/13 EH, 15 E/15 EH

Inserts Narrow, medium (STD 30 M), wide (4050-30 M)

Crimp-on Ferrules 13 mm (FEA, GPI), 15 mm (FEA, GPI),

17 mm (FEA), 18 mm (FEA, GPI), 20 mm (FEA)

**Threaded Ferrules with Collar** GPI 18/410, Europa 4

 Ferrule Heights
 5 (FEA), 6.15 (GPI)

 Outputs
 70 μl, 100 μl

30 μl (Melodie Touch™)

# Melodie Clikit® & Clikit® IP



# Melodie Clikit® Key Features

- Click-on Melodie® pump delivered preassembled
- Reduced purchasing complexity
- Simplified process on filling lines for increased productivity and cost savings

Plastic Heads 13 PP, 14.5 PP

Metal Heads 11.8 E/11.8 EH, 13 E/13 EH, 15 E/15 EH

Metal Collars 13 mm, 15 mm, 17 mm, 18 mm, bead option (female bead in the upper area)

# Melodie Clikit® IP Key Features

- Resin-injected Melodie Clikit® IP
- Precision-engineered components replicate traditional metal collars and actuator sheaths
- Highly customizable for the prestige market

**IP Heads** 11.8 E IP/11.8 EH IP, 13 EH IP

IP Collars 13 mm (FEA), 15 mm (FEA), bead option

# Melodie Pirouette<sup>™</sup>



# **Key Features**

- Eco-conscious
- Refillable solution with reusable packaging elements
- · Guaranteed manufacturing quality
- · Cost-effective solution
- Same external diameter as FEA 15 mm

IP Heads 13EH IP
Plastic Heads 13PP
Metal Heads 13E/EH

**Plastic Threaded Ferrule** 

with Collar

**Outputs** 70 μl, 100 μl

30 µl (Melodie Touch™)

Europa 4, GCMI 15

# XD 11<sup>®</sup>



# **Key Features**

- Discrete and ultra-compact sprayer
- Ideal for premiumization and differentiation
- Neutral engine for better compatibility and formula preservation
- POM-free option
- Wide range of customization options, including the Panache® spray

Plastic Heads 13 mm, 15 mm

Metal Heads 12 mm, 13 mm, 15 mm

Inserts Standard, Maxi-Mist®, Panache®

Crimp-on Ferrules 13 mm (FEA), 15 mm (FEA, GPI), 17 mm (FEA), 18 mm (FEA), 20 mm (FEA)

Crimpless® 13 mm (FEA), 15 mm (FEA, GPI), 17 mm (FEA)

**Threaded Ferrules** CV13, CV15, Europa 4, GCMI 20

**Outputs** 70 μl, 100 μl, 120 μl

# XD 11<sup>®</sup> Spiral



# **Key Features**

- Eco-conscious
- Refillable solution with reusable packaging elements

GCMI 15

- · Guaranteed manufacturing quality
- · Cost-effective alternative
- Same external diameter as FEA 15 mm
- Available in travel size

Metal Heads 12 mm, 13 mm

**Plastic Threaded Ferrule** 

with Collar

**Outputs** 70 μl, 100 μl, 120 μl

# The Emotions of Spray Collection



# Melodie Forever®

- Prolonged, fine atomization
- Controllable actuation
- Discrete, soft and constant
- Unique sound
- · Airy, wrapping and voluminous



# Melodie Mystery®

- Long and enveloping spray
- More refined, elegant and intimate feeling
- Precision and sensuality



# Melodie Agile®

- · Solid and precise actuation
- · Homogenous, focused, efficient
- Discrete sound
- Fine, powerful dispersion



# Melodie Pure®

- Fine atomization
- Ideal for water-based formulations
- Small output to avoid excessive wet feeling
- Prolonged, soft spray
- · Controllable actuation



# Maestro Extravagant®

- Exceptionally voluminous spray mist
- Long and sustained in the air
- · Refreshing and airy
- Exuberant and indulging



Melodie Delicate®

- · Ultra-feminine
- · Infinitely discrete and elegant
- Small and focused spray
- · Soft and quiet



XD 11<sup>®</sup> Panache<sup>®</sup>

- Very long and voluminous spray
- Sustained spray duration
- Extremely fine droplets for a dry and airy mist
- · A world of purity, opulence and sensuality

# SLPP



### **Key Features**

- Discrete and compact design
- Robustness proven over more than 15 years of performance
- High spray quality and smooth actuation
- Gasket-free fastening technology for maximum compatibility with fragrance

Plastic Heads 13 mm, 15 mm

Metal Heads 12 mm, 13 mm, 15 mm

Crimp-on Ferrules 13 mm (FEA, GPI), 15 mm (FEA, GPI), 17 mm (FEA)
Crimpless® 13 mm (FEA, GPI), 15 mm (FEA, GPI), 17 mm (FEA)

Threaded Ferrules Europa 4, 20-400 (GPI), 24-400 (GPI)

**Outputs** 70 μl, 120 μl

# Orchestra®



### **Key Features**

- Low actuator height for a low-profile and compact design
- Highly versatile design with attractive solutions for many packaging requirements
- Available in a variety of sizes and options, from crimped to screw pump versions to metal, plastic and customized colors

Plastic Heads ERLP 13, ERLP 15

**Metal Heads** ERLP 13R, ERLP 15R, ERLP H13R

**Inserts** NN standard nebulization, HN high nebulization

Crimp-on Ferrules 13 mm, 15 mm, 17 mm, 18 mm, 20 mm
Threaded Ferrules LFV 180 (18-400), LFV EU4 (Europa 4)

 Outputs
 70 μl, 100 μl, 130 μl

 Overcaps
 Long Tri-cap 15-25

# Maestro®



### **Key Features**

**Tower Heights** 

- Exceptionally smooth actuation
- Adaptable to most bottle designs
- Excellent compatibility for a wide range of formulas
- Features a pre-compression spray, ideal for spraycaps
- Additional voluminous spray options available with Maestro  $\mathsf{Extravagant}^{\otimes}$

**Plastic Heads** 13.2 PP, 15.15 PP, 15.15H PP, 18.35 PP

 Metal Heads
 11.8-E/11.8-EH, 13-E/13-EH, 15-E/15-EH, 19E

 Inserts
 Narrow, medium (STD 30 M), wide (4050-30 M)

Crimp-on Ferrules 13 mm, 15 mm, 17 mm, 18 mm, 20 mm

5, 5.8

**Threaded Ferrules** 20-400 (GPI)

**Outputs** 70 μl, 100 μl, 125 μl

140 μl (Maestro® and Maestro Extravagant®)

**Customization** Customized extensions upon request

# LPP



# **Key Features**

- Based on a solid and proven design
- · Robust and reliable
- Superior spray quality through pre-compression technology
- High profile for massive packaging
- Gasket-free fastening technology for maximum compatibility with fragrance

Plastic Heads 12 mm, 13 mm, 15 mm

Metal Heads 12 mm, 13 mm, 15 mm

Crimp-on Ferrules 13 mm (FEA, GPI), 15 mm (FEA, GPI), 17 mm (FEA), 18 mm (FEA),

20 mm (FEA, GPI)

Crimpless® 13 mm (FEA, GPI), 15 mm (FEA, GPI), 17 mm (FEA), 18 mm (FEA),

20 mm (FEA, GPI)

**Outputs** 70 μl, 100 μl, 140 μl

# Aspire<sup>™</sup>



# **Key Features**

- Premium economy
- Low-profile, modern aesthetics
- Cost-effective solution
- Superior performance for target market
- Standard configuration for faster lead times

Plastic Heads 13 mm

Metal Heads 13 mm

Inserts NN standard nebulization

 Crimp-on
 15 mm (FEA, GPI)

 Clikit®
 15 mm (FEA, GPI)

Output 100 μl

# Give consumers the opportunity to try your fragrance and take it on the go

Consumers appreciate the opportunity to try products before they purchase. Our broad portfolio of samplers, minis and travel-sized solutions allows you to build awareness and increase market penetration, while delivering an exceptional spray experience.

# **Samplers**

# Minimist®

The cost-effective sampler



### **Key Features**

- · A simplified composition
- A lighter sampler
- · Optimized cost per contact to reach a wider audience
- · Same gesture as retail product featuring the highest quality of spray

XD10 Snap'In Heads **Bottles** Plastic bottle 1 ml Output 40 ul

- Customization · Standard colors: black, white and natural
  - · Any specific colors available on request · Bottle standard decoration: silk screening,
    - hot stamping



The universal sampler



# **Kev Features**

- · Only mini pump on the market designed to work with both plastic and glass bottles
- · Same gesture as retail product featuring the highest quality of spray
- · Crystalline and neutral pump

Heads SP5K Snap'In with a universal collar

and a Maxi-Mist® insert

**Sofix™ Bottles** Plastic bottle 1.2 ml

Glass bottle 1.5 ml Sofix+ Bottles Glass bottle 2 ml

Output

- Customization • Standard colors: black, white and natural
  - Any specific colors available on request
  - Bottle standard decoration:
    - Plastic bottle: silk screening, hot stamping
    - Glass bottle: enamel, gold and platinum

# Sofilux®

# The market sampler reference



### **Key Features**

- · Chic and convenient
- Same gesture as retail product featuring the highest quality of spray
- · Crystalline and neutral pump
- The beauty of glass with two different designs

Heads SP5K Snap'In F0 & F31

**Bottles** Glass bottle 1.5 ml F0 Slim design = Ø 9.25 mm

Glass bottle 1.5 ml and 2 ml F31 = Ø 11.25 mm

Output 50 µ

Customization • Standard colors: black, white and natural

• Any specific colors available on request

• Bottle standard decoration: enamel, gold and platinum

Range Also available in 5 ml, 7.5 ml and 10 ml for gift with

purchases and travel solutions

# Sof'n'Touch®

# The eco-friendly sampler



# **Key Features**

- Eco-friendly solution—100% plastic
- Special applicator provides a soft touch of fragrance to the skin
- A vintage, sensual and differentiating gesture
- · Discreet and private

**Heads** Snap'In IP11 applicator with a pre-assembled cap

Bottles Plastic bottle 1 ml

**Customization** • Standard colors: black, white and natural

• Applicator always natural

• Any specific colors available on request

- Bottle standard decoration: silk screening, hot

stamping

Range Also available in 2 ml and 2.5 ml with glass bottle

# **Minis & Travel Size**

# Sofilux® The travel retail offer



### **Key Features**

Range

- · For travel-sized product, cross sampling offer or gift with purchase
- Two designs (plastic or metal pump + cap)
- The highest quality of spray for a luxury experience
- · Crystalline and neutral pump

Plastic HeadsSP5K Snap'ln F31 + added dip tubeMetal HeadsSP5K Snap'ln FC11 + added dip tube

**Output** 50 μl

**Customization** • Standard colors: black, white and natural

• Standard anodization: gold or silver

• Any specific colors or anodization available on request

- Bottle standard decoration: enamel, gold and platinum

Also available in smaller 1.5 ml and 2 ml sizes for your

free sampler campaigns

# SP5K

The mini pump & mini retail product



### **Key Features**

- Same performance as a retail product in a miniature design
- Discrete, crystalline pump
- Excellent compatibility via our SP5K neutral engine

Plastic Heads F11

Metal Heads FC11

**Crimpless**<sup>®</sup> SP5K TCS = Ø 11 mm

Threaded Ferrules Europa 3 Output 50  $\mu$ l

# XD 11<sup>®</sup> Spiral

Refillable mini size



# **Key Features**

- Eco-conscious product in a travel size
- Refillable solution with reusable packaging elements
- Guaranteed manufacturing quality
- · Cost-effective alternative
- Same external diameter as FEA 15 mm

Metal Heads 12 mm, 13 mm

Plastic Threaded Ferrule GCMI 15

with Collar

**Outputs** 70 μl, 100 μl, 120 μl



We are committed to supporting our customers' needs and helping them solve their challenges. Here are just a few of the brands we are proud to have partnered with.



# **OFFICES**

### **North America**

# Silgan Dispensing Headquarters

1001 Haxall Point, Suite 701 Richmond, VA 23219 USA Phone: +1 (804) 444-1000

# Silgan Dispensing Office

845 3rd Avenue, Suite 623 New York, NY 10022 USA Phone: +1 (646) 290-5205

### Silgan Dispensing Systems Canada Ltd.

7381 Bramalea Road Mississauga, ON Canada L5S 1S4

Phone: +1 (905) 364-2675 Fax: +1 (905) 364-2679

### Europe

# Silgan Dispensing Systems France S.A.S (not a selling entity)

Le Campus Bât B-Est

Rue Jean-Pierre Timbaud 78180 Montigny le Bretonneux France

Phone: +33 1 39 48 12 70

# Silgan Dispensing Systems Netherlands B.V. (not a selling entity)

16 Professor Asserweg Waalwijk, NB 5144 NC North Brabant, Netherlands Phone: +31 (0) 416321602

### Asia

### Shanghai Office

Room 802, Nan Yang 1931 Building, No. 165 Yu De Road Shanghai 200030 Phone: +86 21 6029 3681

Silgan Dispensing Systems

# India Private Limited

Office #434, Regus, 4th Floor, Gumidelli Towers

Old Airport Road, Begumpet Hyderabad 500016 Telangana India

Phone: +91 7675803666 or +91 9619884663

# **PLANTS**

### **North America**

# Silgan Dispensing Systems Thomaston Corporation

60 Electric Avenue Thomaston, CT 06787 USA Phone: +1 (860) 283-2000

# Silgan Dispensing Systems Mexico S.A. de C.V.

Circuito Exportaciones 371 Parque Industrial Tres Naciones San Luis Potosí, S.L.P. 78395 Mexico Phone: +011 52 444 870 1100

# South America

# Silgan Dispensing Systems Brazil Packaging Industry Ltda.

Estrada Municipal Governador Mário Covas, 600

Valinhos, S.P., 13279-411, Brazil Phone: +55 19 3881 8803

# Silgan Dispensing Systems and Packaging do Brasil Industria de Embalagens Ltda

Rod. Dom Gabriel Paulino Bueno Couto, S/N KM 3,5 – Distrito Industrial Jundiaí, S.P., 13212-240, Brazil Phone: +55 11 2152 9800

### Europe

# Silgan Dispensing Systems Barcelona SL

Via Trajana, 25 Barcelona, 08020 Spain Phone: +34 93 314 9111

# Silgan Dispensing Systems Milano S.r.l.

Strada Statale 35 dei Giovi, 1/B 20080 Zibido San Giacomo, MI Italy

Phone: +39 02 90 41 461

# Silgan Dispensing Systems Le Treport S.A.S.

15 Bis Route Nationale 76470 Le Tréport, France Phone: +02 35 50 49 53

