



Global Product Portfolio
Beauty



Airless Systems



Amplify™

Key Features

- A cleaner, more hygienic experience through controlled dispensing
- Convenient, on-the-go use
- All-plastic, Pure Path™ airless pump for superior product protection
- High levels of evacuation (>96%)¹ for greater consumer value perception
- Soft force-to-actuate for greater consumer comfort and control

Diameters

25 mm (Europe), 30 mm (North America)

Output

0.45 ml

Applications

Skincare, hair care, makeup, lotions, creams, metal-sensitive and medium- to high-viscosity formulas

Tube Partners

North America: Plastube; Europe: Neopac



DNA 27 PETG

Key Features

- Headlining of the formula and differentiation
- A highly transparent glass polymer bottle in PETG material
- Protection of the most sensitive formula with a neutral engine
- Extra-smooth actuation even with the most viscous formulas
- Convenient and comfortable to use with a 360° application
- Flexible integration in your industrial process (atmospheric and airless filling)

Closure Sizes

Snap-on 27 mm

Output

0.25 ml

Bottle Sizes

20, 30 ml

Applications

Skincare, makeup



DNA 32

Key Features

- Protection of the most sensitive formulas with a neutral engine
- Extra-smooth actuation even with the most viscous formulas
- Convenient and comfortable to use with a 360° application
- Flexible integration into your industrial process (atmospheric and airless filling)
- Highly customizable
- Compliant with Ecocert and Cosmos

Closure Sizes

Snap-on 32 mm

Output

0.25 ml

Bottle Sizes

15, 20, 30, 40, 50 ml

Applications

Skincare, makeup



DNA 32 PETG

Key Features

- A highly transparent glass polymer bottle in PETG material
- Protection of the most sensitive formulas with a neutral engine
- Extra-smooth actuation even with the most viscous formulas
- Convenient and comfortable to use with a 360° application
- Flexible integration into your industrial process (atmospheric and airless filling)
- Highly customizable
- Compliant with Ecocert and Cosmos

Closure Sizes

Snap-on 32 mm

Output

0.25 ml

Bottle Sizes

30 ml

Applications

Skincare, makeup



DNA 35

Key Features

- Protection of the most sensitive formulas with a neutral engine
- Extra-smooth actuation even with the most viscous formulas
- Convenient and comfortable to use with a 360° application
- Flexible integration into your industrial process (atmospheric and airless filling)
- Highly customizable
- Compliant with Ecocert and Cosmos

Closure Sizes

Snap-on 35 mm

Output

0.25 ml

Bottle Sizes

30, 40, 50 ml

Applications

Skincare, makeup



DNA 37 - Premia

Key Features

- In-depth brilliance of the double wall design
- Protection of the most sensitive formulas with a neutral engine
- Extra-smooth actuation even with the most viscous formulas
- Convenient and comfortable to use with a 360° application
- Industrial flexibility (atmospheric and airless filling)

Closure Sizes

Snap-on, M17-24

Output

0.15, 0.25 ml

Bottle Sizes

20, 30, 50 ml

Applications

Skincare, makeup



DNA 41

Key Features

- Protection of the most sensitive formulas with a neutral engine
- Extra-smooth actuation even with the most viscous formulas
- Convenient and comfortable to use with a 360° application
- Industrial flexibility (atmospheric and airless filling)

Closure Sizes

Snap-on, M17-24

Output

0.25 ml

Bottle Sizes

100 ml

Applications

Skincare, makeup



Lyric® Airless

Key Features

- Ideal for high-viscosity formulation thanks to disk valve engine
- Excellent strokes-to-prime
- Soft force-to-actuate for greater consumer experience
- Slim bottle OD, easy to customize to double-wall structure
- Metal-free Pure Path™ engine for better formula protection

Closure Sizes

Straight snap-on closure

Output

0.15, 0.20 ml

Applications

Skincare, makeup, high-viscosity formulas



Pearl® Airless

Key Features

- Extremely low force-to-actuate
- All-plastic system for clean, metal-free dispensing
- Excellent evacuation rate
- Fewer strokes-to-prime and less re-priming issues during use
- Low part count and light weight for additional supply chain benefits
- Rolling Bellow Technology™ provides comfortable, consistent dispensing
- Wide-mouth, top-fill design offers optimal filling parameters
- Fully customizable
- Pearl Baby Bear and Top Press heads available

Closure Sizes

48 mm

Heads

Standard, Elegance, Edge, Baby Bear, Top Press

Output

1 ml

Bottle Sizes

50, 100, 150, 200 ml

Applications

Skincare, body care, hair care, personal care, lotions, medium- to high-viscosity formulas



Pearl® Mini Airless

Key Features

- Extremely low force-to-actuate
- All-plastic system for clean, metal-free dispensing
- Excellent evacuation rate
- Fewer strokes-to-prime and less re-priming issues during use
- Low part count and light weight for additional supply chain benefits
- Rolling Bellow Technology™ provides comfortable, consistent dispensing
- Wide-mouth, top-fill design offers optimal filling parameters
- Fully customizable

Closure Sizes

32 mm

Heads

Standard, Elegance

Output

0.40 ml

Bottle Sizes

15, 30, 50 ml

Applications

Skincare, makeup, lotions, creams, medium- to high-viscosity formulas



Prodigio®

Key Features

- Patented Clean Point® technology with mechanical closing of the exit tip
- Pure Path™ technology for better formula protection
- Soft actuation for even the most viscous formulations
- Excellent evacuation rate thanks to airless technology
- Large communication area for branding
- Full pack solution
- Flexible integration into your atmospheric and airless filling processes

Closure Sizes

48 mm

Output

1 ml

Bottle Sizes

50, 100 ml

Applications

Skincare, personal care

Fine Mist Sprayers



Sinfonia® Spray & Sinfonia® Infinite

Key Features

- Distinct and versatile
- Available in a wide array of configurations
- Low minimum order quantities
- Sinfonia® SR: solvent-resistant engine for aggressive formulations
- Sinfonia® Silk: noise-free and softer actuation
- Sinfonia® Infinite: long-lasting and voluminous mist

Closure Sizes

Crimp: 13, 15, 18, 20 mm
Screw: Europa 5 / 15-415, 18-400, 18-415, 20-410, 20-415, 22-410, 22-415, 24-410, 24-415, DIN18, CETIE 18
Snap: 20 mm
Ferrule: 1"

Output

0.05, 0.07, 0.10, 0.13, 0.19 ml

Applications

Skincare, makeup, hair care, sun care, deodorant



SP22 & SP22 Panache Pulse

Key Features

- Luxurious and versatile
- Available in a wide array of configurations
- Low minimum order quantities
- SP22 SR: solvent-resistant engine for aggressive formulations
- SP22 Panache Pulse: luxurious spray, with an ultra-airy and enveloping mist

Closure Sizes

Crimp: 13, 15, 17, 18, 20 mm
Screw: Europa 5 / 18-400, 20-400, 20-410, 22-410, 24-410
Ferrule: 1"

Output

0.08, 0.13 ml

Applications

Skincare, makeup, hair care, body care, personal care



Venus

Key Features

- Full pack with a fashion collar and transparent bottle to create a luxury look
- Specific colors available upon request
- Available with SP22 Panache Pulse

Closure Sizes

Screw: 32 mm

Output

0.13 ml

Applications

Skincare, makeup, body care, fragrance



Muse

Key Features

- Seamless look for aluminum cans
- Luxury aesthetics with a collar that hides the ferrule
- Propellant-free
- Specific colors available upon request
- Partnership with Envases for aluminum cans
- Available with SP22 and SP22 Panache Pulse (collar and cap delivered separately from the pump)

Closure Sizes

Ferrule: 1"

Output

0.13 ml

Applications

Skincare, makeup, body care, fragrance

Lotion Atmospheric



Aria® & Prelude®

Key Features

- Low force-to-actuate and robust pump engine for smooth delivery
- Hygienic, wipe-away head design (Aria) for a cleaner experience
- Locking feature for portability and security
- Metal-free Pure Path™ engine for better formula protection
- High compatibility with complex formulas including SPF, silicone, retinol, salicylic acid and others
- Hot stamping, metallization and other decoration or customization available
- Global supply chain allows for greater flexibility and speed to market

Closure Sizes

Tapered: 18-400, 18-410², 18-415², 20-410
Straight: 18-400, 18-410², 20-400, 20-410
Stepped: 24-410³

Output

0.15, 0.23 ml

Applications

Skincare, makeup, metal-sensitive and high-viscosity formulas



Lyric®

Key Features

- Highly customizable engine design
- Three available head styles (Platinum, Whisper, Serenity)
- Fully metallic pump (Platinum) or metalized finishes (Whisper and Serenity)
- Metal-free Pure Path™ engine for better formula protection
- Special suck-back feature that keeps the orifice clean
- Soft force-to-actuate for greater consumer comfort and control

Closure Sizes

Straight: 18-400, 20-410

Output

0.15, 0.20 ml

Applications

Skincare, makeup, metal-sensitive and high-viscosity formulas



MD150™

Key Features

- Soft actuation
- Low force-to-actuate
- High compatibility with aggressive formulations
- Perfect performance even with high viscosity
- Versatile in colors and shrouds

Closure Sizes

Smooth and ribbed: 18-415, 20-410, 22-415, 24-410

Output

0.15 ml

Applications

Body care, facial care, hair care, sun care, makeup



NEA

Key Features

- Pure Path™ engine for better formula protection
- Suitable with liquid and viscous formulas
- Ultra-smooth actuation for full range of viscosities
- PBT body option to enhance formula compatibility
- Extra formula protection available via self-sealing actuator
- Wide range of designs and finishes from plastic to metal
- Global supply chain for greater flexibility and speed to market

Closure Sizes

Straight: 18-400, 20-400, 20-410, 22-410

Stepped: 18-400, 20-410, 22-410, M17-24

Output

0.15, 0.25 ml

Applications

Skincare, makeup, hair care



PurePress®

Key Features

- Easy, one-hand, one-touch dispensing
- Integral cap with living hinge to ensure cleanliness
- Pure Path™ technology for metal-free fluid path to protect formulations

Closure Sizes

24-410

Output

0.50 ml

Applications

Facial cleansers, astringents, antiseptics, hair care, polish removers



Sinfonia® Crème

Key Features

- Available in a wide array of closure sizes, actuators and overcaps
- Wide range of finishes and aesthetics
- Different dimensions and outputs
- Solvent-resistant version available
- Fast response to customer requirements
- Soft version available

Closure Sizes

Ferrules, plastic closures, threaded ferrules, closures with overshell

Output

0.05, 0.07, 0.10, 0.13, 0.19 ml

Applications

Sun care, skincare, hair care, makeup

Lotion Atmospheric (continued)



Sonnet® & Sonata®

Key Features

- Comfortable force-to-actuate offers controlled feel during use
- Hygienic, wipe-away head design for a cleaner experience
- Lock-up actuator easily relocks for on-the-go convenience, eliminating need for overcap
- Able to handle highly viscous formulas
- Pure Path™ technology offers metal-free fluid path for better product protection
- Family look available with Aria® and Prelude® for brand consistency

Closure Sizes

Tapered: 22-400, 22-410, 24-410

Straight: 22-410, 24-410

Output

0.50 ml

Applications

Skincare, hair care, facial cleansers, metal-sensitive and high-viscosity formulas



SP3

Key Features

- Soft actuation and robust engine for refined delivery
- Suitable with liquid and viscous formulas
- PBT body option to enhance formula compatibility
- Widest choice of neck finishings and designs
- Widely tested and approved
- Global supply chain for greater flexibility and speed to market

Closure Sizes

Concave: 18-400

Straight: Europa 5, 18-400, 20-400, 20-410, M17-21, FEA15, FEA17, FEA20

Stepped: 20-410, 22-410, 24-410

Output

0.08, 0.13, 0.23 ml

Applications

Skincare, makeup, hair care

Samplers & Minis



Mini NEA

Key Features

- Based on the NEA engine with Pure Path™ technology for better formula protection
- Ultra-smooth actuation even on the most viscous formulas
- Excellent evacuation rate
- High-end comfort
- Contemporary design that's fully customizable and part of a family look
- Compliant with Ecocert and Cosmos
- Atmospheric or airless versions available

Closure Sizes

17 mm

Output

0.15 ml

Bottle Sizes

5, 7.5, 10 ml

Applications

Skincare, makeup, personal care



Sofistic's

Key Features

- Travel-sized mini sprayer
- Same exceptional performance as a retail product
- Available in Lotion (SP24) and in Spray (SP22)

Closure Sizes

Snap-on

Output

0.08, 0.13 ml

Bottle Sizes

5, 10, 15 ml

Applications

Skincare, makeup, sun care

¹ When tested in Silgan Dispensing labs with basic moisturizer.

² Closure sizes produced in Europe only; available for ordering globally.

³ Closure size produced in North America only; available for ordering globally.

OFFICES

North America

Silgan Dispensing Headquarters

1001 Haxall Point, Suite 701
Richmond, VA 23219 USA
Phone: +1 (804) 444-1000

Silgan Dispensing Office

845 3rd Avenue, Suite 623
New York, NY 10022 USA
Phone: +1 (646) 290-5205

Silgan Dispensing Systems Canada Ltd.

7381 Bramalea Road
Mississauga, ON Canada L5S 1S4
Phone: +1 (905) 364-2675
Fax: +1 (905) 364-2679

Europe

Silgan Dispensing Systems France S.A.S (not a selling entity)

Le Campus
Bât B-Est
Rue Jean-Pierre Timbaud
78180 Montigny le Bretonneux France
Phone: +33 1 39 48 12 70

Silgan Dispensing Systems Netherlands B.V. (not a selling entity)

16 Professor Asserweg
Waalwijk, NB 5144 NC
North Brabant, Netherlands
Phone: +31 (0) 416321602

Asia

Shanghai Office

Room 802, Nan Yang 1931 Building,
No. 165 Yu De Road
Shanghai 200030
Phone: +86 21 6029 3681

Silgan Dispensing Systems

India Private Limited

Office #434, Regus, 4th Floor,
Gumidelli Towers
Old Airport Road, Begumpet
Hyderabad 500016 Telangana India
Phone: +91 7675803666 or
+91 9619884663

PLANTS

North America

Spring Plant in

Washington Court House, OH
238 South Main Street
Washington Court House, OH 43160 USA
Phone: +1 (740) 335-8400

Silgan Dispensing Systems Corporation

11901 Grandview Road
Grandview, MO 64030 USA
Phone: +1 (816) 986-6000

Silgan Dispensing Systems Slatersville LLC

110 Graham Drive
North Smithfield, RI 02876 USA
Phone: +1 (401) 767-2400

Silgan Dispensing Systems Corporation

3719 East 12th Avenue
Winfield, KS 67156 USA
Phone: +1 (620) 229-5000

Silgan Dispensing Systems Thomaston Corporation

60 Electric Avenue
Thomaston, CT 06787 USA
Phone: +1 (860) 283-2000

Silgan Dispensing Systems

Mexico S.A. de C.V.

Circuito Exportaciones 371
Parque Industrial Tres Naciones
San Luis Potosí, S.L.P. 78395 Mexico
Phone: +011 52 444 870 1100

Silgan Dispensing Systems

Mexico Operadora

Boulevard Insurgentes No. 18895-3
Cerro Colorado
Tijuana, B.C. 22590 Mexico
Phone: +011 52 664 6268305

South America

Silgan Dispensing Systems Brazil

Packaging Industry Ltda.

Estrada Municipal Governador Mário
Covas, 600
Valinhos, S.P., 13279-411, Brazil
Phone: +55 19 3881 8803

Silgan Dispensing Systems and Packaging do Brasil Industria de Embalagens Ltda

Rod. Dom Gabriel Paulino Bueno Couto,
S/N KM 3,5 – Distrito Industrial
Jundiaí, S.P., 13212-240, Brazil
Phone: +55 11 2152 9800

Europe

Silgan Dispensing Systems Barcelona SL

Via Trajana, 25
Barcelona, 08020 Spain
Phone: +34 93 314 9111

Silgan Dispensing Systems Hemer GmbH

Ernst – Stenner – Straße 17
58675 Hemer Germany
Phone: +49 23 72 5040

Silgan Dispensing Systems Milano S.r.l.

Strada Statale 35 dei Giovi, 1/B
20080 Zibido San Giacomo, MI Italy
Phone: +39 02 90 41 461

Silgan Dispensing Systems Vicenza S.r.l.

Via Monte Tomba 28a
36060 Romano d' Ezzelino, (VI) Italy
Phone: +39 0424 839111

Silgan Dispensing Systems Le Treport S.A.S.

15 Bis Route Nationale
76470 Le Tréport, France
Phone: +02 35 50 49 53

Silgan Dispensing Systems Lacrost S.A.S.

CS 50008 chemin des Croux
71700 Lacrost, France
Phone: +33 3 85 32 79 00

Silgan Dispensing Systems Alkmaar B.V.

Ivoorstraat 9
1812 RE / PO BOX 1007
1812 KA Alkmaar, Netherlands
Phone: +31 72 541 4666

Asia

Silgan Dispensing Systems Co. Ltd.

19 Xindu Road Wuxi-Singapore
Industrial Park
Wuxi, 214028 PR China
Phone: +86 510 8528 2008