



Global Product Portfolio
Personal Care



Fine Mist Sprayers



M300™

Key Features

- Enwrapping cloud
- Smooth and consistent actuation
- High compatibility with complex formulations
- Precise dosage

Closure Sizes

Smooth and ribbed: 18-410

Output

0.21 ml

Applications

Body care, facial care, hair care



Mark IV®

Key Features

- Excellent atomization with several spray options
- Soft and consistent actuation
- Compatibility with challenging formulations
- Efficient in different viscosities
- Precise dosing

Closure Sizes

Smooth and ribbed: 18-415, 20-410, 22-415, 24-410

Output

0.15 ml

Applications

Hair care, facial care, body care



Mark VI® & Spray Extender

Key Features

- Outstanding atomization and priming capabilities
- Easy-actuation head
- Wide range of spray pattern options

Closure Sizes

18-415, 20-410, 22-415, 24-410

Output

0.14 and 0.16 ml

Applications

Hair care, personal care, body care requiring fine mist or spray atomization; also suitable for food and car care products



Mark VII® Max & Spray Extender

Key Features

- Primes high-viscosity products
- Outstanding atomization and priming capabilities
- Contemporary aesthetics
- Inverted spraying option available
- Wide range of spray pattern options

Closure Sizes

Ribbed: GL20, 18-415, 20-400
Smooth or ribbed: 20-410, 22-415, 24-410
Snap: GS30, GS31
Ferrule: 20 mm

Output

0.16 to 30 ml, 0.18 ml for inverted and GS only

Applications

Skincare, sun care, hair care, body care, high-viscosity formulas



Mini-Trigger™ Curve

Key Features

- Secure, on-the-go portability via an integrated button lock
- Targeted spray
- Ideal for hairsprays, gels, sunscreens and body sprays
- Expanded range of outputs from 0.16 through 0.30 ml

Closure Sizes

20-410 or 24-410, smooth wall

Output

0.16 to 0.30 ml

Applications

Hair care, skincare, sun care, high-viscosity formulas



Sinfonia® Spray

Key Features

- Available in a wide array of closure sizes, actuators and overcaps
- Crimped, screw-on or snap versions
- Wide range of finishes and aesthetics
- Different dimensions, spray angles and outputs
- Satisfies a vast market demand
- Fast response to customer requirements

Closure Sizes

Ferrules, plastic closures, threaded ferrules, closures with overshell

Output

0.05, 0.07, 0.10, 0.13, 0.19 ml

Applications

Sun care, skincare, hair care, makeup



SP22

Key Features

- Punchy engine to spray liquid formulas without leakage risk
- Smooth actuation
- Only available in atmospheric version
- Any specific colors available on request

Closure Sizes

FEA 15, 17, 18, 20, Europa 5, GCM 18, 20, 22, 24, 1"

Output

80 and 130 µL

Applications

Skincare, makeup, hair care, personal care



Sprayette™ IV

Key Features

- Higher-output coarse mist sprayer
- Exceptional performance with aggressive formulas
- Wide range of spray pattern options
- Pure Path™ technology for a metal-free fluid pathway

Closure Sizes

24-410, 28-400, GS26

Output

0.35, 0.50, 0.70 ml

Applications

Body care, sun care, skincare, hair care

Dispensers



Harmony®

Key Features

- Different looks available with standard head and closure options
- Ideal for liquid soaps and lotions, metal-sensitive and high-viscosity formulas
- Lock-up or lock-down design
- Pure Path™ technology for a metal-free fluid path
- Extra protection for sensitive formulas

Closure Sizes

24-400 (ribbed only), 24-410, 24-415, 28-410, 28-415

Output

2 ml

Applications

Soaps, lotions, metal-sensitive and high-viscosity formulas



HVD™

Key Features

- Precise, powerful performance
- Easy bottom filling
- Ideal for oral care, hair creams, pastes and waxes
- Decoration available

Output

Up to 2.50 ml

Applications

Oral care, hair creams, pastes, waxes, high-viscosity formulas



P2000™

Key Features

- Different looks available with standard head and closure options
- Ideal for liquid soaps and lotions, metal-sensitive and high-viscosity formulas
- Lock-up design
- Pure Path™ technology for a metal-free fluid path
- Extra protection for sensitive formulas

Closure Sizes

24-410, 24-415, 28-410

Output

2 ml

Applications

Everything from creams and tonics to hair care products and liquid soaps



SD® 20C

Key Features

- Intermediate output
- Advanced lock-down design
- Outstanding top-load support
- Wide variety of head designs
- Custom metal overshell available
- Range of options for packaging convenience and flexibility

Closure Sizes

24-410, 24-415, 28-400, 28-410, 28-415

Output

1.50, 2 ml

Applications

Body care, sun care, hair care, hand care, hand soap/sanitizer



SD® 50

Key Features

- Primes high-viscosity fluids
- Patented metal-free Pure Path™ technology
- Low force-to-actuate and robust pump engine for smooth delivery
- Decoration options available

Closure Sizes

20-410, 20-415, 22-400, 22-410, 22-415, 24-400, 24-410, 24-415, 28-400, 28-410, 28-415

Output

0.50 ml

Applications

Creams, lotions, soaps, metal-sensitive and high-viscosity formulas



SD200®

Key Features

- Intermediate output
- Advanced lock-down design
- Outstanding top-load support
- Wide variety of head designs
- Custom metal overshell available
- Range of options for packaging convenience and flexibility

Closure Sizes

24-400 (ribbed only), 24-410, 24-415, 28-410, 28-415

Output

2 ml

Applications

Soaps, lotions, shampoos, conditioners



SD® 400, SD® 800, D1™

Key Features

- Compatible with highly aggressive formulations including pumice
- Extremely low profiles require no special shelf heights when stacking
- Threaded head-to-chaplet configuration prevents "pop-up" during shipment
- Completely leak-proof dispensing system

Closure Sizes

28-400, 28-410, 28-415, 33-400, 33-415, 38-400, 89-400

Output

SD400: 2 to 4 ml
SD800: 5 to 8 ml
D1: 7 to 30 ml

Applications

High-output soaps and lotions, food, complex or aggressive formulas



ShowerGuard®

Key Features

- Easy, one-hand operation
- Designed for high-output applications like shampoos, conditioners and body washes
- Water-shielding design stops water ingress and prevents bacteria growth
- Modern, attractive profile

Closure Sizes

28-410, 28-415, 33-415, 38-400

Output

4 ml

Applications

High-output lotions and soaps, shampoos, conditioners, water-sensitive formulas

OFFICES

North America

Silgan Dispensing Headquarters
1001 Haxall Point, Suite 701
Richmond, VA 23219 USA
Phone: +1 (804) 444-1000

Silgan Dispensing Office
845 3rd Avenue, Suite 623
New York, NY 10022 USA
Phone: +1 (646) 290-5205

Silgan Dispensing Systems Canada Ltd.
7381 Bramalea Road
Mississauga, ON Canada L5S 1S4
Phone: +1 (905) 364-2675
Fax: +1 (905) 364-2679

Europe

Silgan Dispensing Systems France S.A.S
(not a selling entity)
10, rue de Chevreul
92150 Suresnes
France

Silgan Dispensing Systems Netherlands B.V. (not a selling entity)
16 Professor Asserweg
Waalwijk, NB 5144 NC
North Brabant, Netherlands
Phone: +31 (0) 416321602

Asia

Shanghai Office
Room 802, Nan Yang 1931 Building,
No. 165 Yu De Road
Shanghai 200030
Phone: +86 21 6029 3681

Silgan Dispensing Systems India Private Limited
Office #434, Regus, 4th Floor,
Gumidelli Towers
Old Airport Road, Begumpet
Hyderabad 500016 Telangana India
Phone: +91 7675803666 or
+91 9619884663

PLANTS

North America

Spring Plant in
Washington Court House, OH
238 South Main Street
Washington Court House, OH 43160 USA
Phone: +1 (740) 335-8400

Silgan Dispensing Systems Corporation
11901 Grandview Road
Grandview, MO 64030 USA
Phone: +1 (816) 986-6000

Silgan Dispensing Systems Slatersville LLC
110 Graham Drive
North Smithfield, RI 02876 USA
Phone: +1 (401) 767-2400

Silgan Dispensing Systems Corporation
3719 East 12th Avenue
Winfield, KS 67156 USA
Phone: +1 (620) 229-5000

Silgan Dispensing Systems Thomaston Corporation
60 Electric Avenue
Thomaston, CT 06787 USA
Phone: +1 (860) 283-2000

Silgan Dispensing Systems Mexico S.A. de C.V.
Circuito Exportaciones 371
Parque Industrial Tres Naciones
San Luis Potosí, S.L.P. 78395 Mexico
Phone: +011 52 444 870 1100

Silgan Dispensing Systems Mexico Operadora
Boulevard Insurgentes No. 18895-3
Cerro Colorado
Tijuana, B.C. 22590 Mexico
Phone: +011 52 664 6268305

South America

Silgan Dispensing Systems Brazil Packaging Industry Ltda.
Estrada Municipal Governador Mário
Covas, 600
Valinhos, S.P., 13279-411, Brazil
Phone: +55 19 3881 8803

Silgan Dispensing Systems and Packaging do Brasil Industria de Embalagens Ltda
Rod. Dom Gabriel Paulino Bueno Couto,
S/N KM 3,5 – Distrito Industrial
Jundiaí, S.P., 13212-240, Brazil
Phone: +55 11 2152 9800

Europe

Silgan Dispensing Systems Barcelona SL
Via Trajana, 25
Barcelona, 08020 Spain
Phone: +34 93 314 9111

Silgan Dispensing Systems Hemer GmbH
Ernst – Stenner – Straße 17
58675 Hemer Germany
Phone: +49 23 72 5040

Silgan Dispensing Systems Milano S.r.l.
Strada Statale 35 dei Giovi, 1/B
20080 Zibido San Giacomo, MI Italy
Phone: +39 02 90 41 461

Silgan Dispensing Systems Vicenza S.r.l.
Via Monte Tomba 28a
36060 Romano d' Ezzelino, (VI) Italy
Phone: +39 0424 839111

Silgan Dispensing Systems Le Treport S.A.S.
15 Bis Route Nationale
76470 Le Tréport, France
Phone: +02 35 50 49 53

Silgan Dispensing Systems Lacrost S.A.S.
CS 50008 chemin des Croux
71700 Lacrost, France
Phone: +33 3 85 32 79 00

Silgan Dispensing Systems Alkmaar B.V.
Ivoorstraat 9
1812 RE / PO BOX 1007
1812 KA Alkmaar, Netherlands
Phone: +31 72 541 4666

Asia

Silgan Dispensing Systems Co. Ltd.
19 Xindu Road Wuxi-Singapore
Industrial Park
Wuxi, 214028 PR China
Phone: +86 510 8528 2008